Nickel Titanium Products Page 1 of 4



MATERIAL SAFETY DATA SHEET DIRECTIVE 91/155/EEC

SUBSTANCE/PREPARATION AND COMPANY IDENTIFICATION

1.1 Chemical Nature, Sales Name, Use: Metal, Nitinol, Wire products including: Super Elastic, Thermal Activated, High Force, Open and Closed Coil Springs, including Molar Distalizing, and Separators.

1.2 Company Identification:

G&H Wire Company/ FlexMedics

P.O. Box 248

Greenwood, Indiana 46142

Telephone: 317-346-6655 Facsimile: 317-346-6663

1.3 Emergency Contact: Exposure to Nitinol occurs primarily from inhalation of dust or fumes. However, constituents of these alloys may cause effects directly upon the skin or eyes. Certain constituents may also be harmful if swallowed.

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS#	%
TITANIUM	7440-32-6	50-70
NICKEL	7440-02-0	30-50
NIOBIUM	7440-03-1	10-20
COPPER	7440-50-8	5-10
IRON	7439-89-6	1-5
COBALT	7440-48-4	1-5
CHROMIUM	7440-47-3	<3.0

3. HAZARDS IDENTIFICATION

3.1 Nitinol is generally not considered hazardous in the form shipped (solid bars, billets wire, etc.), however, if your process involves grinding, melting, welding, cutting, or any other process that causes a release of dust or fume, hazardous levels of dust or fume of the constituents of these alloys could be generated. The following is a list of potential health effects for all hazardous elements that are possibly contained in an of our alloys, Please refer to section II titled "hazardous ingredients" for a list of those specific elements contained in this particular alloy.

Nickel Titanium Products Page 2 of 4

Health Effects

Nickel: Fumes are respiratory irritants and may cause respiratory disease, skin contact can also cause an allergic skin rash, nickel and its compounds have been reported to cause cancer of the lungs and sinuses.

Titanium: No observed health hazards

4. FIRST-AID MEASURES

- 4.1 Inhalation: Move person to fresh air until recovered. Consult a physician.
- 4.2 Skin Contact: Wash with water and mild detergent.
- 4.3 Eye Contact: Flush thoroughly with water, consult a physician.
- 4.4 Ingestion: While ingestion of large enough quantities to cause health effects is unlikely. Consult a physician if it occurs.

5. FIRE-FIGHTING MEASURES

- 5.1 Suitable Extinguishing Media: sand
- 5.2 Unsuitable Extinguishing Media: N/A
- 5.3 Particular Hazards: See step 3
- 5.4 Protective Equipment for Fire-Fighteres: N/A

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions:

Ventilation:

If your process causes a release of dust or fume, use local and general exhaust ventilation to keep airborne concentrations of dust or fumes below the TLV.

Respiratory Protection:

If your process causes a release of dust or fume in excess of the permissible exposure limit, use approved respirators for protection against airborne dust or fumes should be worn. Respirators should be used in accordance with 29CFR 1910.134.

Protective Equipment:

Gloves and barrier creams may be necessary to prevent skin sensitization and dermatitis. If your process involves grinding or any other action that causes the release of dust or fumes, approved safety glasses or goggles should be worn.

- 6.2 Environmental Precautions: No hazard
- 6.3 Cleaning Methods: N/A

7. HANDLING AND STORAGE

- 7.1 Handling: See step 6.1
- 7.2 Storage: N/A

	7.3	Storage Conditions: N/A	
8.	EXPO	OSURE CONTROLS/PERSONAL PROTECTION	
	Minir	nize contact as outlined in step 6.1	
		inze contact as outlined in step 0.1	
9.	PHYS	SICAL AND CHEMICAL PROPERTIES	
	9.1	Form: Wire	
	7.1	Color: Metallic Grey	
		Odor: Odorless	
	9.2	Change of State: liquid	
	7.2	Melting Point/Range: 2500° F to 2700° F	
		Boiling Point: N/A	
	9.3	Flash Point: N/A	
	9.4	Ignition Point: N/A	
	9.5	Vapor Pressure (20°C): N/A	
	9.6	Density (20°C): 6.9 specific gravity	
	9.7	Solubility in: Water (20°C): insoluble	
	<i>y.,</i>	Organic Solvent (20°C): insoluble	
	9.8	PH-Value (at 10g/1H ₂ 0): N/A	
	9.10	Viscosity (20°C): solid	
10.	STAF	BILITY AND REACTIVITY	
	10.1	Thermal Decomposition: None	
	10.2	Conditions to Avoid: Avoid strong acids	
	10.3	Materials to Avoid: Avoid strong acids	
	10.4	Hazardous Decomposition Products: None	
11.	TOX	COLOGICAL INFORMATION	
	11.1	Oral Toxicity: Reference Step 3 and Step 6.1	
	11.1	Inhalation: Reference Step 3 and Step 6.1	
	11.2	Skin Irritation: Reference Step 3 and Step 6.1	
	11.3	Sensitization: Reference Step 3 and Step 6.1	
	11.4	Eye Irritation: Reference Step 3 and Step 6.1	
	11.6	Further Details: None	
12.	ECOI	LOGICAL INFORMATION	
	12.1	Acute Toxicity in Fish (LC-50/48h): not defined	
	12.2	Bacteria Toxicity (EC-0): not defined	
	12.3	Biodegradability: not defined	
	12.4	Further Details:	
13.	DISP	DISPOSAL CONSIDERATIONS	

Nickel Titanium Products Page 4 of 4

- 13.1 Product: N/A
- 13.2 Packaging: N/A
- 13.3 Waste Disposal Code: N/A

14. TRANSPORT INFORMATION

- 14.1 Overland Transport ADR/RID/GGVS/GGVE: N/A
- 14.2 Sea Transport GGVSEA/IMDG-Code: N/A
- 14.3 Air Transport ICAO/IATA-DGR: N/A
- 14.4 Inland Waterway Transport ADNR: N/A
- 14.5 Further Details: Product is not considered dangerous for transport

15. REGULATORY INFORMATION

Preparation as defined by the (German) Chemicals Act (dated 4/03/1990).

15.1 Labeling: N/A

Product Contains:

Danger Symbol:

R-Sentences R36/37/38:

S-Sentences S26:

S-Sentences S28:

15.2 National Regulation:

VbF:

TA-Air:

Water Pollution 1:

16. OTHER INFORMATION

- 16.1 The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. Therefore, it should not be construed as guaranteeing specific properties.
- 16.2 Revision Date: 04-06-2012