Hu-Friedy Mfg. Co., LLC

IPS

Revision date: 15.07.2015 Revision No: 1,21

Product code: 00379-0004

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

IPS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Rust removal product and care spray for medical instruments

Uses advised against

There is no information available on applications that are not advised.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Hu-Friedy Mfg. Co., LLC Street: 3232 N. Rockwell St. Place: Chicago, IL 60618

Supplier

Company name: Hu-Friedy Mfg. Co., LLC.

Zweigniederlassung Deutschland

Street: Kleines Öschle 8
Place: D-78532 Tuttlingen
Telephone: 00800 48 37 43 39
Telefax: 00800 48 37 43 40
e-mail: info@hu-friedy.eu
Internet: www.hu-friedy.eu

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

number: In England and Wales: NHS Dtrect - 0845 4647, In Scotland: NHS 24 - 08454 24

24 24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture according to 1272/2008/EC

Hazard categories:

Aspiration hazard: Asp. Tox. 1

Hazard Statements:

May be fatal if swallowed and enters airways.

2.2. Label elements

Hazardous components which must be listed on the label

Distillates (petroleum) Naphtha (petroleum)

Signal word: Danger

Pictograms:



Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Disposal in accordance with local regulations.

Hu-Friedy Mfg. Co., LLC

IPS

Revision date: 15.07.2015

Revision No: 1,21

Product code: 00379-0004

Special labelling of certain mixtures

EUH066

Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Preparation with hydrocarbons

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
64742-47-8	Distillates (petroleum)			15 - 40 %
	265-149-8	649-422-00-2		
	Asp. Tox. 1; H304			
64741-65-7	Naphtha (petroleum)			15 - 40 %
	265-067-2			
	Asp. Tox. 1, Aquatic Chronic 4; H304 H413 EUH066			

Full text of H and EUH phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately. If you feel unwell, seek medical advice.

After inhalation

Move to fresh air in case of accidental inhalation of vapours. In the event of symptoms refer for medical treatment.

After contact with skin

Wash off with soap and plenty of water. Treat subsequently with skin cream. Consult a doctor if skin irritation persists.

After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids. Seek medical treatment by eye specialist.

After ingestion

Do not induce vomiting. Summon a doctor immediately. Induce vomiting only upon the advice of a physician. Attention. Beware, danger of aspiration.

4.2. Most important symptoms and effects, both acute and delayed

Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, carbon dioxide (CO2), dry chemical, water-spray.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Fire may produce: Carbon monoxide and carbon dioxide

Hu-Friedy Mfg. Co., LLC

IPS

Revision date: 15.07.2015

Product code: 00379-0004

Revision No: 1,21

5.3. Advice for firefighters

Use breathing apparatus with independent air supply. Protective suit.

Additional information

Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator. Ensure adequate ventilation. Remove persons to safety. Keep away sources of ignition.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

6.4. Reference to other sections

Clean contaminated surface thoroughly.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Vapours are heavier than air and spread along ground. Avoid contact with the skin and the eyes. Do not breathe vapours or spray mist. Use only in well-ventilated areas.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition. Do not smoke. Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Advice on storage compatibility

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke. Treat subsequently with skin cream. Take off immediately all contaminated clothing. Avoid contact with skin, eyes and clothing. Do not breath vapours or spray mist.

Eye/face protection

Safety goggles with side protection (EN 166).

Hand protection

Protective gloves (EN 374) Recommended material [type, thickness, permeation time]: butyl rubber, 0,7 mm, protective index 6, corresponding to 480 minutes of permeation time according to EN 374. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Hu-Friedy Mfg. Co., LLC

IPS

Revision date: 15.07.2015

Revision No: 1,21

Product code: 00379-0004

Skin protection

Long sleeved clothing (EN 368).

Respiratory protection

No personal respiratory protective equipment normally required.

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: clear

Odour: Hydrocarbon-like

Changes in the physical state

Flash point: > 65 °C
Lower explosion limits: 1 vol. %
Upper explosion limits: 7 vol. %
Ignition temperature: n.d.
Vapour pressure: < 6,6 hPa

(at 38 °C)

Density (at 20 °C): 0,79 g/cm³ Water solubility: Negligible

(at 20 °C)

Flow time: < 30 s 3 DIN/ISO 2431

(at 23 °C)

9.2. Other information

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

No data available.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Vapour/air mixtures are explosive at intensive warming.

Heating can release vapours which can be ignited.

10.5. Incompatible materials

Oxidizing agents (strong).

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

Further information

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Hu-Friedy Mfg. Co., LLC

IPS

Revision date: 15.07.2015 Revision No: 1,21

Product code: 00379-0004

STOT-single exposure

Based on available data, the classification criteria are not met.

Severe effects after repeated or prolonged exposure

Repeated exposure may cause skin dryness or cracking.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Practical experience

Other observations

Contact with eyes may cause irritation. High concentration of vapours may cause irritation to eyes and respiratory system and produce narcotic effects. Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product. Effects of breathing high concentrations of vapour may include: Headache, dizziness, weakness, unconsciousness.

SECTION 12: Ecological information

12.1. Toxicity

No data available.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

Further information

Do not flush into surface water or sanitary sewer system.

Low hazard to waters.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Can be incinerated, when in compliance with local regulations.

Where possible recycling is preferred to disposal.

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps,

detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be

taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID); Marine transport (IMDG); Air transport (ICAO); Inland waterways transport (ADN):

14.1. UN number:

Not applicable. No hazardous material as defined by the transport regulations.

14.2. UN proper shipping name:

Not applicable. No hazardous material as defined by the transport regulations.

14.3. Transport hazard class(es):

Not applicable. No hazardous material as defined by the transport regulations.

Hu-Friedy Mfg. Co., LLC

IPS

Revision date: 15.07.2015 Revision No: 1,21

Product code: 00379-0004

14.4. Packing group:

Not applicable. No hazardous material as defined by the transport regulations.

14.5. Environmental hazards

Not applicable. No hazardous material as defined by the transport regulations.

14.6. Special precautions for user

Not applicable. No hazardous material as defined by the transport regulations.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable. No hazardous material as defined by the transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): < 75 %

National regulatory information

Employment restrictions: Observe employment restrictions for young people. Observe employment

restrictions for child bearing mothers and nursing.

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

Changes in chapter: 1 - 16

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

 ${\sf IATA/ICAO} = \textbf{International Air Transport Association} \ / \ \textbf{International Civil Aviation Organization}$

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Relevant H- and EUH-phrases (Number and full text)

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.
EUH066 Repeated exposure may cause skin dryness or cracking.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Print date: 15.07.2015 GB - EN Page 6 of 7

Hu-Friedy Mfg. Co., LLC

IPS

Revision date: 15.07.2015 Revision No: 1,21

Product code: 00379-0004

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)